

Part 3

Factory Reference Material




WALTHER P22 BIBLE

1917-1911M

WALTHER

P22

WALTHER




Semi-Automatic pistol
P 22

Cal. .22L.R.

P22

WALTHER



Designation of components

Pos. designation	article no.
1 receiver, polymer	266 04 82
2 sideplate, left	267 04 61
3 sideplate, right	267 04 53
4 stove bolt	266 05 12
5 stove bolt	266 97 22
6 trigger assembly	267 04 37
7 straight pin	266 05 47
8 hammer assembly	267 04 45
9 sear	266 06 44
10 sear spring	266 06 52
11 ejector	266 06 79
12 magazine catch	266 06 95
13 straight pin	266 84 75
14 dowel pin	266 07 17
15 slide stop lever	266 07 25
16 slide stop spring	266 07 33
17 takedown lever	266 07 41
18 dowel pin	266 07 50
19 dowel pin	266 07 68
20 retaining pin	266 07 76
21 spring guidance rod	266 07 84
22 recoil spring	266 89 04
23 magazine safety	266 08 06
24 magazine safety spring	266 08 14
25 trigger lock	266 08 22
26 trigger lock spring	266 08 31
27 backstrap	266 08 49
28 backstrap, large	266 08 57
29 key for trigger lock	266 08 65
30 slide	266 08 73

Pos. designation	article no.
31 breech block	266 08 81
32 dowel pin	266 08 90
33 extractor	266 09 03
34 spring	266 09 11
35 pin	266 09 20
36 firing pin	266 09 38
37 firing pin spring	266 09 46
38 safety block	266 09 54
39 safety lever, left	266 09 62
40 safety lever, right	266 09 71
41 screw	266 09 89
42 ball for safety lever	266 09 97
43 spring for safety lever	267 08 10
44 firing pin safety	266 10 04
45 spring	266 10 12
46 barrel 3.4 inch	266 10 47
47 barrel sleeve	266 10 55
48 barrel nut	266 10 63
49 spanner	266 10 71
50 barrel 5 inch	266 10 80
51 barrel sleeve, long	266 10 98
52 stabilizer assembly	267 04 70
53 allen key	218 98 01
54 allen key	266 84 91
55 magazine body	266 11 36
56 follower	266 11 44
57 magazine button	266 11 52
58 magazine butt plate	266 11 61
59 magazine spring	266 11 79
60 butt plate retainer	299 11 87

Pos. designation	article no.
61 magazine butt plate, large	266 12 41
62 rear sight	267 04 88
63 rear sight screw	266 12 68
64 washer	266 12 76
65 front sight 3	267 04 96
66 front sight 2	267 05 00
67 front sight 4	267 05 18
68 filler plug	266 13 14
69 dryfire simulation device	260 83 32
70 mounting pin	266 88 91
71 worm screw	266 84 83